



## Do Not Write on This Test, Use Answer Sheet to Mark Responses

## This is an Open Book Test

All questions are taken from the 2025 WDRA Rulebook Note: Where E.T.'s are used, asterisk (\*) indicates eighth-mile equivalent

- 1. **True or False:** In HOW TO USE THIS RULEBOOK, it is the racers' responsibility to keep their car legal at all times. Passing tech inspection does not guarantee that the vehicle may not later be found to be in violation of published guidelines.
- 2. **True or False:** In Factory Street, the vehicle must remain unaltered from the OEM and fully operational in regards to factory safety equipment including but not limited to airbags, seatbelts, stability control and ABS.
- 3. **True or False:** In Junior Dragster, arm restraints are mandatory and must be installed so that driver's hands and/or arms cannot be extended outside of roll cage or frame rails and must be combined with a driver restrain system and release with restraint mechanism.
- 4. **True or False:** In Factory Street, passengers must be 16 and are only allowed during non-elimination testing runs slower than 10.00 quarter mile or 7.00 eighth mile.
- 5. **True or False:** In SNOWMOBILE, air dams may not extend beyond the confines of the body and must have 2 inches of ground clearance minimum.
- 6. **True or False:** In SPECIAL VEHICLES, jet vehicles are required to have dual parachutes.
- 7. **True or False:** In GENERAL TECHNICAL REGULATIONS, all brake lines must be routed outside of frame rails or protected by 1/8 inch steel where passing bellhousing area. No copper brake lines allowed.





- 8. **True or False:** In GENERAL TECHNICAL REGULATIONS, lower engine containment is necessary and required for all forced induction vehicles at 4.99 or quicker eighth mile or 7.99 or quicker quarter mile.
- 9. **True or False:** In SFI SPECIFICATIONS, driver restraint assemblies have an expiration period of 2 years.
- 10. **True or False:** In Technical Reference Guide, a car running a <sup>1</sup>/<sub>4</sub> mile at 13.50 & slower or 1/8 mile at 9.00 & slower, is required to have a catch can.
- 11. **True or False:** In Technical Reference Guide, arm restraints are required on all open bodied vehicles.
- 12. **True or False:** In MOTORCYCLE, front brakes are recommended, rear brakes are required.
- 13. **True or False:** In ATV/UTV, Eighth mile competition only. Restricted to 4-wheel ATV's or UTV's with single driver only and no passengers.
- 14. **True or False:** In GENERAL TECHNICAL REGULATIONS, dragsters are limited to a maximum of 200 lbs. of ballast.
- 15. **Multiple Choice:** In Teen Racing, which of the following clothing is *not* allowed?
  - A. short pants
  - B. nylon pants
  - C. tank tops
  - D. all the above
- 16. **True or False:** In GENERAL TECHNICAL REGULATIONS, all vehicles without floors must have floor pans made of .024" steel or .032" aluminum and be present throughout the driver's compartment to the rear of the driver's seat.
- 17. **True or False:** In Junior Dragster, any means to pass fuel or air to the engine other than normally aspirated carburetor is prohibited.





- 18. **True or False:** In GENERAL TECHNICAL REGULATIONS, regarding driver protective gear, if no specific requirement is stated then the minimum requirements are full length pants, short sleeve or long sleeve shirt, closed toes shoes and socks. No Shorts, no bare legs, no tank tops, no sandals. Nylon or flannel pants are prohibited.
- 19. **True or False:** In ELECTRIC VEHICLE, all vehicles including OEM must incorporate a master electrical disconnect switch that must disable all electrical functions.
- 20. **True or False:** Touching strip center line in any situation during a competitive run with the exception of singles is grounds for disqualification.
- 21. **True or False:** In GENERAL TECHNICAL REGULATIONS, SFI spec 14.1 restraint system mandatory on Roots type supercharger when alcohol is used. Belt guard or oil/fuel line guard must be used where lines pass by the belt.
- 22. **True or False:** In Technical Reference Guide, a car running a <sup>1</sup>/<sub>4</sub> mile at 0-9.99 requires aftermarket axles.
- 23. **True or False:** In ELAPSED TIME SPECIFIC RULES, a roll bar is permitted in place of roll cage for full bodied vehicles with an unaltered floor and firewall running 6.40 or slower in the eighth mile.
- 24. **True or False:** In ELAPSED TIME SPECIFIC RULES, for cars running 0-6.49 eighth mile; 0-9.99 quarter mile, an SFI 29.1 flex plate is required.
- 25. **True or False:** In GENERAL TECHNICAL REGULATIONS, nitrous oxide bottle(s) must be stamped with an 1,800 lb. rating and permanently mounted.
- 26. **True or False:** In GENERAL TECHNICAL REGULATIONS, rear-engine dragsters require a deflector plate style blow shield between all engine components and cage.





- 27. **True or False:** In GENERAL TECHNICAL REGULATIONS, secondary brake systems are permitted.
- 28. **True or False:** In GENERAL TECHNICAL REGULATIONS, one or two-way communication permitted in ET bracket classes except Junior Dragster. Radios must be securely mounted in the vehicle and may not have any telemetry functions.
- 29. **True or False:** In MOTORCYCLE, 10.99 1/4 or 6.99 1/8 or quicker must be equipped with a positive ignition cutoff switch attached to the rider with a lanyard.
- 30. **True or False:** In SNOWMOBILE, the drive track must be smooth with no paddles or studs. External slide rail lubrication systems prohibited. Sleds running 9.99 or quicker require the use of an aftermarket track designed for concrete and asphalt surfaces.